



Ariva 203 CI/CI+ will provide you with high quality TV picture and warm timbre of radio programs. This model arised as a sum of our experiences of the previous models. Smart card slot and CI modules have been placed in the back, to not disrupt the harmony of the front panel. The standard Ethernet interface and two high-speed USB 2.0 ports allow for recording of TV programs and simple and convenient access to the media. Just select a button on the remote control to use the Timeshift function - the simplest solution fot time-shifted TV! Ariva 203 is a unique receiver that without problems plays music (mp3, flac, ogg), movies (mkv, avi, xvid) and pictures (jpeg, bmp) at the same time offering Internet radio. CI/CI+ (Common Interface) card reader allows an access to encrypted channels. Ariva 203 meets the standards of energy efficiency and offers many additional services when connected to the Internet.

Main features:

- Reception of High Definition channels
- PAL upscaling to 720p or 1080p
- Supports 32 programmable timers
- Separate lists of favorite TV and Radio channels
- Quick channel search function (QuickFind)
- Teletext and subtitles support
- Support for DiSEqC 1.0, 1.1, Unicable and DiSEqC 1.2, USALS
- Support for MPEG-2, MPEG-4, MPEG-4 AVC/H.264
- Compatible with DVB-S, DVB-S2
- Card reader for pay TV
- CI/CI+ slot



Remote Control:

Ariva 203 is supplied with an extremely convenient and intuitive remote control with the symbol RCU-540. The pilot sits perfectly in the hand allowing you to conveniently operate all the functions of the receiver.

Note: it is possible to service the receiver by means of any device based on Android or iOS via free app: Ariva STBRemote.



Inputs/Outputs:

1. CA: Card reader for pay TV
2. CI/CI+: CI/CI+ slot
3. LNB IN: Input coaxial cable from the converter.
4. HDMI: Digital image and sound.
5. 2 x USB: ports for connecting external USB storage device and / or wireless WiFi card.
6. LAN: Ethernet port used for communication over LAN / Internet.
7. SPDIF: Digital optical audio output.
8. TV: SCART connector to connect the TV.
9. RS232: RS232 port for communication with a PC computer.




The receiver supports 802.11b/g/n WiFi USB adapters based on the Ralink chip Rt5370, offered as a separate accessory.

Packaging:

Bulk packaging: **20 pcs.**

EAN Code:

Code: 5907115002200



5 907115 002200 >



SMALL2BIG

Small2Big is a unique functionality of the satellite receiver that allows you to display multimedia content (videos, photos) with your phone or tablet on your TV. The function is dedicated for use by the Android system. This function works within your local area network (LAN).



BIG2SMALL

Big2Small is another unique feature that allows you to view TV programs from the receiver directly on the screen of your phone or tablet. The function is dedicated for use by the Android system. This function works within your local area network (LAN).