

ARIVA 4K

User manual

Ariva 4K

Ariva 4K Combo

English



WARNING !!!



Ferguson satellite receivers support recording on external hard disk drives (HDDs) and flash memories (pendrives). In all instances, the correct operation of the recording function depends on the type of connected memory! You must read the following limitations.

REMEMBER:

1. In order to use an external USB memory, the memory must support the USB 2.0 standard. To ensure stable recording and playback, **you must use a memory with a recording speed of 9.0 MB/s or greater**. Slower hard disk drives and flash memories may not function properly, have problems with recording (image jitter), or not function at all!!!
2. Only disks with one basic NTFS or FAT32 partition (we recommend using the NTFS format) will function properly. If you do not have such a format, prepare the disk on your computer before connecting it to the receiver.
3. Highly fragmented or used memories may also not operate smoothly or correctly.
4. External hard disk drives should be autonomously powered, since the built-in USB port is unable to provide sufficient power.
5. Only one of the three USB ports can be used at the same time!

CAUTION

1. Under no circumstances should you disconnect the USB device from the receiver during recording or playback. Disconnecting during operation may cause damage to the receiver and/or flash memory, and to the recorded data.
2. Do not touch the working device (and in particular the USB connector) with wet hands. Risk of electric shock and permanent damage to the receiver!

SAFETY MEASURES

We request that you read the instruction manual and recommendations set forward therein. Also remember to correctly position the satellite antenna!




In order to avoid an electric shock, never open the housing. Damage to the warranty seal shall void the warranty.



Disconnect the device from the mains during thunderstorms or when it is not to be used for an extended period of time. Please remember that the warranty does not cover damage to the equipment caused by a lightning strike.



Do not expose the device to direct sunlight. Place it away from sources of heat and humidity. Do not cover ventilation ducts, in order to ensure the correct circulation of air.




Place the device horizontally on a flat, even and stable surface.



If you move the device from a room that is warm to one that is cold (or vice versa), wait at min. 1 hour before connecting it to the mains. Otherwise, problems may arise.



The device should be placed away from vases, bottles, aquariums and other water containers in order to avoid damage. Do not touch the mains plug with your bare hands.



Do not place any objects on the housing of the device. This may cause overheating and reception problems.

Before commencing maintenance or installation work, disconnect the receiver from the mains. Do not clean the receiver with alcohol or liquids containing ammonia. If necessary, clean it with a soft, lint-free cloth wetted with a gentle solution of water and soap.

- Do not connect any cables when the mains plug is in the socket.
- Check the condition of your cables. Damaged cables may cause a fire.
- Please disconnect the receiver from the mains before connecting any cables.

DOWNLOADABLE SOFTWARE

Ferguson has taken every effort to provide users with software updates in order to ensure that the parameters of the satellite television receiver are up to date. Ferguson reserves itself the right to amend, change or modify the software used in the satellite television receiver as it shall choose and without prior notification. The latest version of the software is available on the website <http://www.ferguson-digital.eu>

GNU/GPL LICENSING INFORMATION

Please consult the legal information available on your device under Settings > About Ariva 4K or visit <http://source.android.com/source/licenses.html> for more information.




Please keep in mind that new software may change the functionality of the Ferguson Ariva 4K. Photographs and descriptions included in the instruction manual are for informational purposes only. If you notice an error, please report it – we shall make every effort to have it rectified.

Create a Google Wallet account

You can pay for the items you purchase from Google Play market with a Google Wallet account. You can set one up the first time you purchase an item or ahead of time in a web browser.

Click the Google Play icon on the Home screen. When you open Google Play store for the first time, you must read and accept the terms of service to continue.

In a web browser, go to <http://wallet.google.com> to establish a Google Wallet account. OR The first time you use your Box to buy an item from Google Play market, when you're prompted to enter your billing information, you can set up a Google Wallet account.

 **Warning!** *When you've used Google Wallet once to purchase an application from Android Market, the Ferguson Ariva 4K remembers your password, so you don't need to enter it the next time. For this reason, you should secure your Ferguson Ariva 4K to prevent others from using and buying without your permission.*

Download and install an application

1. Find an application you want and open its details screen
2. In the application's details screen, you can read more about the application including its cost, rating and user comments, and information about the developer.
3. Click to download and install the application. (If it's a paid application, the button is labeled with the price).

Browse for applications

You can browse applications by category and sort them in different ways.

1. On the Google Play home page, Click a top-level category, such as Apps or Games. Click a subcategory to view its list of applications.
2. Scroll to view subcategories and Click the one you want to explore. Click to view top paid, top free, or the most recent applications in this subcategory. Click an application to open its details screen.

Multitasking & Closing application

Press and hold longer HOME button – to see all open application on your device. Choose any you want to switch too or press the up or down key to close them one by one.

Uninstall an application

You can uninstall applications you downloaded from Market using Market. You can also uninstall applications you downloaded from Market and from other locations in the Settings application's Manage Applications screen

1. On the Android Market home screen, press Menu and Click My apps.
2. Click the application to uninstall.
3. Click Uninstall.
4. Click OK in the confirmation dialog.
5. Click the explanation that best matches why you're uninstalling and Click OK.
6. The application is uninstalled. You can install the application again at any time, without charge if it was a paid application.

ABOUT THE INSTRUCTION MANUAL

Ferguson Sp. z o.o. has made every effort to provide the most current information about its products. Ferguson Sp. z o.o. does not grant any guarantee as to the contents of the present instruction manual and disclaims any implied guarantees concerning market value or suitability for specific purposes. The information contained herein is an instruction intended to enable the correct usage and maintenance of the receiver.

Ferguson Sp. z o.o. reserves itself the right to introduce amendments, changes or translations of the instruction manual without prior notification thereof. For this reason, we recommend you regularly visit our website in order to obtain the latest information.

Instructions and video tutorials can be found on:



MARKINGS AND SIGNS APPLIED TO THE RECEIVER



Digital signal transmission logo. This logo informs that the receiver conforms to the Digital Video Broadcasting standards.



Risk of electric shock - do not open. This notice warns the user not to open the receiver housing. The housing may be opened solely by authorized service technicians.



When this crossed-out wheeled bin symbol is attached to a product it means that the product is covered by the European Directive 2002/96/EC. Please inform yourself about the local separate collection system for electrical and electronic products.

Please act according to your local rules and do not dispose of your old products with your normal household waste. Correct disposal of your old product helps to prevent potential negative consequences for the environment and human health.



Your product contains batteries covered by the European Directive 2006/66/EC, which cannot be disposed with normal household waste. Please inform yourself about the local rules on separate collection of batteries because correct disposal helps to prevent negative consequences for the environmental and human health.



Your product is designed and manufactured with high quality materials and components, which can be recycled and reused.



CE logo. The logo informs that the receiver conforms to the terms and conditions of Directive 2004/108/EC concerning observance by Member States of provisions regulating electromagnetic compatibility, and to the terms and conditions of Directives 2006/95/EC concerning observance by Member States of provisions regulating low voltage electricity and safety with relation to the handling and operation of electrical equipment.



Hereby Ferguson Sp. z o.o., declares that the device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EC. You can find the Declaration of Conformity on www.deklaracje.ferguson.pl This product has been designed, tested and manufactured according to the European R&TTE directive 2014/53/UE



Double insulation logo. This logo informs that the receiver is an electrically safe device, provided that it is used in accordance with the recommendations set forward in the chapter concerning safety.



Hot surface mark
CAUTION: HOT SURFACE. DO NOT TOUCH. The top surface over the internal heat sink may become hot when operating this product continuously. Do not touch hot areas, especially around the "Hot surface mark" and the top panel.



When this logo is attached to a product, it means a financial contribution has been paid to the associated national recovery and recycling system.

BASIC INFORMATION ABOUT THE RECEIVER

1. Main features

- ✓ Reception of UHD (ultra high definition channels), HD
- ✓ HDMI 2.0,
- ✓ Availability of programmable timers
- ✓ Separate lists of favourite, TV and Radio channels
- ✓ Quick channel search function (QuickFind)
- ✓ Teletext and on-screen captions
- ✓ DiSEqC 1.0, 1.1 and DiSEqC 1.2, USALS
- ✓ MPEG-2, MPEG-4, MPEG-4 AVC/H.264/H.265 standards
- ✓ Compatible with DVB-S/S2, DVB-T/T2 and DVB-C systems (depending on model)
- ✓ Card reader for pay-per-view television
- ✓ Common Interface (depending on model)



2. Contents of box

Unpack the receiver and check whether all of the following elements are present

- ✓ 1 x remote control unit
- ✓ 1 x instruction manual
- ✓ 1 x receiver

3. Important instructions concerning handling of the receiver

The screen menu (OSD) simplifies operation of the receiver and has made it possible to reduce the number of keys on the remote control. All of the functions are displayed on the screen and may be controlled by means of a small number of keys. Common functions have been connected in one "MENU". The selected function is coloured. Depending on the selected option, various "function keys" are displayed: red, yellow, green, blue and white in the form of graphics and descriptions. The colours represent various functions in individual "Menus". The selected function is activated by pressing a key on the remote control unit. The so-called function keys are active only when in the appropriate field there is information about it. The user interface makes it possible to navigate within a menu and between functions in a number of different ways. Certain buttons on the remote control allow direct access to functions. The buttons are multi-functional, i.e. their functions depend on previously activated elements.










NOTE: Please keep in mind that new software may change the functionality of the receiver. Photographs and descriptions included in the instruction manual are for informational purposes only. If you should notice an error, please report it - we shall make every effort to have it rectified.

4. Remote control

Using the universal RCU660 remote control
 RCU660 is 5 in 1 universal remote control is suitable for TV sets, A/V receivers, tuners, BD/DVD players, CD players, DVR players, various STBs (satellite, cable, terrestrial, IPTV), amplifiers and other devices from common manufacturers. The universal remote control can execute basic device functions.

Button description

| | |
|---|---|
|  | Power button turns on the device or sets it in standby mode. Blue LED flashes to show that button is pressed. |
|  | Predefined Android button for Ferguson Ariva 4K STBs. It is not possible to setup another code set and/or use learning function. |
|  | Device buttons can be used for device of your choice. You can setup any code set and/or use learning function. |
| 1, 2, 3, 4, 5, 6, 7, 8, 9, 0 | Select particular channel number on a channel list. Enter numeric values. enter the device code during set up |
|  | Used to change the volume level higher (vol+) or lower (vol-). |
|  | Switches the sound on and off. |
|  | Switches to the next (ch+) or previous (ch-) channel/chapter/file. |
|  | Learn a new code from original remote control |
| other buttons | Depends on your device |



Installation of batteries

Remove the cover of the battery compartment on the rear panel of the remote control unit; slide it downwards and put it aside. Insert two AAA (R03) batteries into the compartment, observing the indicated polarity. **Do not mix old and new batteries, or batteries of different types.** Replace the battery compartment cover. Slide it upwards until it locks in place.



Note:

- If the LED's become dim; please replace the batteries.

To make your remote control ready for use, you need to carry out one of the following steps:

Set up device via auto search

1. Switch on the device that you like to control.
2. Point the remote control at your device. Press and hold down the **device** button (e.g. TV) for 5 seconds. The LED turns on and after a moment LED start flashing, that means RCU660 is in auto search mode and you can release **device** button.
3. The "Volume+" signal is automatically transmitted from the remote control to the device (code scan). As soon as the volume of the device (e.g. TV) changes, immediately press **device** button to stop the auto search.
If the device you are searching for is a CD player, Tuner, TAPE, or AUX then "Power" (instead of "Volume+") signal is automatically transmitted from the remote control to the device. As soon as the device turns off, press **device** key to stop the search. You need to turn on the device by **Power** button before you check other button function.
4. Check the function of the other buttons on the remote control. If none of the buttons function (i.e. the search was not be stopped in time) or the majority of the buttons do not function correctly, restart the search (see steps 2 to 4) to find a suitable code. If the majority of the buttons function correctly, set-up has been successful. Re-press the **device** button (e.g. TV) to save the code and to terminate the set-up mode.

Note:

- Entering the auto searching mode, it will search forward from the current code.
- Sometimes, remote control does not work properly just because auto search was not stopped in time. In this case, just enter into manual search again, and press **Vol-** button approx. every 1.5 seconds to search backward the code database.
- If you are not satisfied with certain buttons assignments, or some functions are missing, then you can use additionally learning function.

Setup device via brand name code

1. Switch on the device that you like to control.
2. Find the code number of your device brand in the code list (e.g. Ferguson 1244) from the relevant device group (e.g. DVB-T).
3. Press and hold the **device** button (e.g. AUX) for three seconds. Release the device button as soon as LED lights up, now it is in set up mode.
4. Enter the 4-digit device code (e.g. 1244 for Ferguson DVB-T) within 10 seconds. If an entry is not made within 10 seconds, the set-up mode is automatically terminated.
5. The LED turns off if the remote accepts the code. If the LED flashes three times, that means the code may be wrong, and the remote control remains in set-up mode, enter the correct code from the list again in good time.
6. Check the function of the buttons on remote control. If it does not function correctly, try another 4-digit device code from the list under the same brand. Repeat steps 3 to 6 until all the basic functions operate correctly.
7. Exit the set-up mode by pressing the **device** button.

Note:

- If you are not satisfied with certain buttons assignments, or some functions are missing, then you can use additionally learning function.
- mode is automatically terminated if no button is pressed for 10 seconds.

Setup device via manual search

1. Switch on the device that you like to control.
2. Point the remote control at the device. Press and hold down the **device** button (e.g. TV) for 5 seconds. The LED lights up and the remote is in manual set-up mode, release the device button now.
3. Press the **Vol+** button approx. every 1.5 seconds.
4. As soon as the volume of the device (e.g. TV) changes or the device turns off, check whether the other buttons on the remote control function correctly. If the majority of the buttons does not function correctly, press the **Vol+** approx. every 1.5 seconds to initiate the reactive code (manual search is continued, see steps 3 to 4).
5. If the majority of the buttons on the remote control functions correctly, save the code by pressing the **device** button (e.g. TV) to terminate the manual search.

Note:

- If you are not satisfied with certain buttons assignments, or some functions are missing, then you can use additionally learning function.
- Sometimes, remote control does not work properly just because manual search was not stopped in time. In this case, just enter into manual search again, and press **Vol-** button approx. every 1.5 seconds to search backward the code database.
- The Manual Search is automatically terminated if no entry occurs during 30 seconds period.
- Manual search mode, search forward from the current code.

Learning Function

The learning function is used to extend the pre-programmed codes. The standard code list already provides you with the most important functions, but it is possible to add a few additional functions. A fully functional original remote control is required for learning programming.

Please use fresh batteries for both the Learning Remote Control and the Original Remote Control.

1. Press down and hold the **device** button which you wanted to learn (e.g. BD player), and press **find** button at the same time, when LED turns on then release the both pressed keys, now remote control is in learning mode for BD codes.
2. Point the IR transmitter of the original remote control remotes face to the IR receiver of your RCU660 remote by approximately 30 mm apart. Keep two remotes at the same straight line to make the learning process more accurate.



3. Press and release the target button on your RCU660 remote control which you want to learn (e.g. **info**), the LED starts to flash.
4. Press the one button (For example, **info** button) from your original remote control, when you see LED on new universal remote control flashes three times and stop, it means RCU660 has accepted new code and now you can start to learn another new code from original remote.
5. Repeat step 3 to 4 to learn another code from original remote control.
6. When you finish learning all buttons you want to have, press **find** button to store all commands you have learnt from original remote and exit from Learning remote.

Note:

- You can learn limited set of buttons on RCU660. Available buttons are shown on the image.
- When you can not choose any more RCU660 buttons for learning, it means that remote memory is full (RCU660 has limit for total 60 buttons).
- The learning mode is automatically terminated if no entry occurs during 14 seconds period.
- Press **TV** button and Number **6** button can delete all codes you have learnt for all devices.

Display device code

1. Press and hold the **device** button, simultaneously press button **1** to display the thousands of the 4-figure code. Count how often the LED flashes, if the LED does not flash, then the number is zero.
2. Press and hold the **device** button, simultaneously press button **2** to display the hundreds of the 4-figure code.
3. Press and hold the **device** button, simultaneously press button **3** to display the tens of the 4-figure code.
4. Press and hold the **device** button, simultaneously press button **4** to display the ones of the 4-figure code.

For example for code 0169 for TV:

1. Press TV and 1 LED flashes Zero time
2. Press TV and 2 LED flashes One time
3. Press TV and 3 LED flashes Six times
4. Press TV and 4 LED flashes Nine times

Reset / Delete Function

Just simply press TV button and Button 0 together, when LED flashes three times, now all settings will be deleted, and remote go back to factory default settings.

5. Front panel



**illustrative photo*



**illustrative photo*



CA: Socket for a subscriber's card – always insert with the chip facing down!

6. Rear panel



**illustrative photo*

Depending on your receiver has inputs / outputs as shown below:

- ANT IN (depending on model)
- LNB IN
- USB
- AV
- Ethernet
- HDMI 2.0
- OPTICAL
- USB
- Recovery Switch
- MICRO SD Card Reader

7. Connecting the satellite antenna


In order to check the correctness of connection of external equipment, for example a satellite antenna or converter, read the installation manual or hire a professional technician!

Good reception is conditional on the precise placement of the antenna. Even the best antenna will cause reception problems if it is incorrectly adjusted. Even slight placement errors may render reception impossible or considerably impair image/sound quality. Before installation make sure that the location is suitable. The proper direction may be initially determined by making a comparison with other antennas. There should be no objects directly in front of the antenna, for these may block the signal from reaching the bowl! Once you select an optimal location for the antenna, fix and adjust it initially, and then proceed to a precise adjustment. Each antenna is fitted with regulating screws that make it possible to correct its vertical and horizontal placement.

Adjusting is somewhat more difficult in the case of digital tuners. You cannot perform adjustments on the basis of the image, because this appears with a certain delay. What is more, the indicators available in the settings menu also act with a delay, and therefore adjustment may take considerable time and be very imprecise. An antenna signal meter will be indispensable for setting up the antenna. The meter must be connected to the antenna cable between the converter and the receiver. This will confirm the presence of a voltage that switches the converter from the tuner and show the signal strength for individual satellites. We strongly recommend hiring a professional technician!

7.1 Connecting an antenna system with a positioner

USALS type positioners manufactured by Stab will guarantee the correct operation of your Ferguson receiver. In order to connect an antenna system to a USALS positioner, you should connect the positioner out to the LNB IN of the Ferguson receiver. The role of the positioner installed between the mast and the antenna is to turn the bowl in such a way as to ensure that it is directed to various satellite positions.



The USALS function considerably simplifies configuration of the antenna. The Ferguson receiver requires that you enter the geographical coordinates of the antenna in order to automatically calculate the angle of revolution of the motor for individual satellites. The receiver activates the positioner automatically and turns the antenna to the selected satellite. When a signal is locked on, you should precisely adjust the antenna's elevation and azimuth settings in order to optimise signal reception. When correcting the azimuth, the entire antenna assembly and positioner revolve with respect to the mast. If initially the antenna was not directed precisely south, you can correct this now. When you have finished with the first satellite, all other satellites will be remembered automatically, provided that you have introduced their satellite position values correctly.

Without the USALS function, programming of the system is much more difficult. To this end you should use the DiSEqC 1.2 function, which turns the antenna to the selected satellite in a nearly identical manner. Since, however, it does not take into consideration the local geographical coordinates, the movement is effected on the basis of the prime meridian and the equator. Therefore it is necessary to introduce corrections separately for each satellite. Due to these difficulties, manufacturers of DiSEqC 1.2 positioners frequently provide useful software on their websites, using which you can easily calculate the location of the satellite.

8. Connecting the terrestrial antenna (Combo models only)

There are no special antennas for DVB-T. For collection of digital television, the same antennas as analog TV reception. There is no need to change the antenna system. It is worth to check the quality and condition of the plant, which has so far been used for analog TV reception. Reception problems can be weathered with old antenna systems, or grid antennas. It is recommended to use directional antennas with signal amplifier, depending on the particular situation you may also establish impedance transformer. Indoor antenna may be used only in areas with high signal intensity.

9. Connecting the receiver

The following illustrations show cable connections for a television and other devices connected with the receiver. If you require any assistance in connecting individual devices, contact your local technician. Before connecting or altering cabling, disconnect the receiver from the mains !!!




Note: Availability and type of connection depends on your receiver model! Not all of the connections are applicable for your receiver!


9.1 Connection by means of an HDMI cable (recommended)

1. Connect the antenna to the LNB IN socket of the receiver.
2. Connect the HDMI to the receiver out and the television in.

Connection by means of an HDMI cable allows you to obtain the highest image quality.





If you have an amplifier with an HDMI out and in, which supports sound sent over HDMI, connect the devices by two HDMI cables. As in the following figure: one cable to the amplifier, and the other from the amplifier to the television set.




9.2 Connect composite port

1. Connect LNB IN port on a receiver to a satellite dish.
2. Connect the video and audio by means of three cinch cables to the television set. One cable, colored yellow used to send video. The two remaining cable, red and white, are used to connect sound (right and left channel).




9.3 Connection of an audio system

- Digital sound (including surround sound, if broadcast) can be obtained from two sockets: optical SPDIF.



9.4 Connection of an external memory

1. The receiver supports all types of hard disk drives in housings that are equipped with an independent power supply. The sole condition is that the hard disk has to have a single basic partition that is formatted in the NTSF (recommended) or FAT32 system.



External hard disk drives should be autonomously powered, since the built-in USB port is unable to provide sufficient power

Only one of the three USB ports can be used to connect external memory without power supply at the same time!!!

9.5 Micro SD card mount:



Socket for a Micro SD card – make sure the gold side of the memory card is facing down.

9.6 Internal HDD mount:



We recommend that you regularly archive data on your PC computer. A large number of files with recordings may slow down cooperation with the receiver (slow loading of the file list).

9.5 Connection to the LAN local network


1) wired

In order to connect the receiver to a local network, use an RJ45 cable.



2) wireless

The receiver can be connected to the local network Wifi in both 2.4GHz and 5GHz. There is no possibility of the simultaneous use of two frequencies.



We recommend that you restart the receiver whenever the network settings are changed.



The android does not allow simultaneous use of the cable connection and WiFi. One of them should be off to the second work

FIRST STEPS

1. Insert the plug of the receiver and other additional devices to a wall socket.
2. Select AV signal source of your television set.
3. The satellite receiver is not supplied with reinstalled television channels. We suggest the use of the Fast Scan function as a basis to create your own list of channels.



Note: check all of the connections, i.e. antenna cables, audio and video signal cables, before connecting the receiver to the mains!

INFORMATION ABOUT THE USER MENU

The user interface allows you to use numerous settings and receiver functions. Some buttons on the remote control unit enable direct access to functions of the device. Certain of these buttons have been described, for example Guide, MENU, OK, or coloured for ease of usage. Other buttons are multi-functional and their operation depends on the type of device selected by the user. Hereunder we have presented a brief description of how to use certain device functions available through the user menu.

1. The up/down arrow keys on the remote control are used to move the cursor up and down on the menu.
2. The left/right arrow keys on the remote control are used to move the cursor left and right, and to switch on submenus
3. The OK button is used to enter submenus.
4. The BACK button is used to exit menus or functions.
5. When using a submenu, the OK button is used to confirm your selection; a green background informs that a function is active.

10. First Installation Guide

First installation guide helps you to choose prefer menu language, HDMI output resolution, screen size and configure internet connection through Ethernet or Wi-Fi.




Search Digital Satellite TV

DTV First Installation helps you to search digital Satellite TV/Radio channel automatic. Setup Aspect ratio output, subtitle and then choose next button to scan satellite TV/Radio channel.



Choose Satellite and configure LNB parameters and then press Blue button to search channel automatic.



10.1 CAM application first run (required)

After first run of receiver it is required to run CAM application one time manually.


Please ensure that card is clean and put in card reader chip side down.

In main menu choose: Applications

Next choose CAM application icon and press OK

You should see window as bellow

Now you have to wait about 20 seconds. System will read all card parameters. From now on the application will start automatically every time you boot your device.



10.2 Updating CAM application

- a) Download last version of CAM application (file name * apk)
- b) Choose from main menu: Settings → Applications → Choose current CAM and app data → Delete → OK
- c) Next choose Uninstall → OK → OK
- d) Go back to main menu and choose Applications → appInstaler → choose memory drive where new cam file was saved (* apk) → choose it and press OK. Next follow installation by pressing OK
- e) After installation is done choose OPEN application to run it.

Instructions and video tutorials can be found on:




11. Watching Live TV

Enjoy TV after search TV channel. Uses the VOL+/VOL- button to control the volume output. Uses the CH+/CH- to change the channel.




Press OK button to show channel list and choose channel. You could Sort channel by alphabet, FTA(Free To Air)/CAS(Scrambled), HD/SD etc.. You could also find channel quickly or filter channel by group in channel list.




DTV Menu

Press MENU button \equiv to display DTV menu for more option. You could choose subtitle, audio track, turn on TELETEXT, add channel to Favorites group etc...




11.1 PVR (Personal Video Record)

The Ferguson Ariva 4K support instant PVR, timer PVR and GUIDE booking PVR. Please configure the storage device in DTV settings before start PVR. You could record your prefer live TV program to external USB storage and playback anytime anywhere. Press REC button again to open menu for change default recording duration. You could also change the default recording duration in DTV settings menu.



11.2 Recorded Files

The user could manage recorded files; you can delete the files you've recorded by pressing the RED key.



11.3 Time-Shift

This function is available only when an external USB memory device is correctly connected!!!

The time shift mode allows the user to control the television broadcast by "pausing" and then resuming it from the same point. From the moment you switch on the time shift mode, the Ferguson receiver will constantly record the signal from the satellite in a buffer. The buffer is created automatically on the external USB memory device.


Pausing the television broadcast

1. Press **PAUSE**

2. The time elapsed bar will now be visible on the screen


3. Press the **PLAY** button in order to resume the television broadcast. The Ferguson receiver continues to record the television broadcast when viewing the previously broadcast programme.

Keep in mind that during buffer playback, the information bar may be hidden by means of the BACK button. In order to restore the bar, press PAUSE/PLAY again.




11.4 INFO

Press information button to show present/following GUIDE when watching TV. Press information twice to show the detail information about present program.




11.5 GUIDE

Press the GUIDE button to show the 21 days GUIDE menu. Press Left/Right, Up/Down key to look for GUIDE in the next 21 days, press blue button to reserve play program or record program. Press OK key to get detail information of the program.




Timer

Ferguson Ariva 4K could help you to record your preferred program automatically anytime with the timer feature. You can choose what time to start recording and the duration time. Before this, of course, you must ensure your USB/SD card/hard drive is connected to the receiver and its storage capacity would be sufficient to store the recorded TV programs.



11.7 Channel Manager


Channel manager support delete channel, move channel, hide channel, lock/unlock channel and rename channel. You could add your prefer TV/Radio channel to variety favorites group. The default password of channel manager is 0000. All channel manage operation are available in on one page.



11.8 DTV Settings Menu


DTV Settings Menu is design for professional configures global parameters of DTV application. You could setup some global settings were illustration as below.

- 1) AV output Settings
- 2) Default Languages --- Helps you to setup default Subtitle language, TELETEXT language and Audio track.
- 3) OSD Settings --- Helps you to setup DTV OSD settings.
- 4) Parental Control --- Parental control feature helps to block the TV program that you don't allow your children to watching it alone.
- 5) DB Management --- Helps you to backup TV/Radio channel list to external USB Storage or restore TV/Radio channel list from external USB storage.
- 6) PVR Settings --- Helps you to setup which external USB storage for PVR and Time-Shift. You could also turn on/off auto Time-Shift feature in this menu.
- 7) System Settings --- Helps you to check the version number of the DTV application, reset DTV application to factory settings.




11.9 Installation

Installation feature in DTV menu helps professional search satellite TV/Radio channel manually. You could configure LNB parameters(LNB Type/DisEqC1.0/1.1/Motor) and manage Satellites/TP list in installation menu.




12. Install APP from Google Play Store

Press Home button to show home page and go to All APPs menu to launch Google Play Store.




Login to the Google Play Store with your account and then you could install your prefer APP for entertainment on your TV set.




12.1 Customize your launcher

You could add your prefer APP to home page and launch it quickly. Press Home button to show launcher and choose + icon by press OK button and then your could add your prefer APP to the home page.




You could delete APP shortcut from home page or uninstall the APP by press menu button when you move the cursor to the APP shortcut icon.



12.2 Miracast/Airplay/DLNA

The Ferguson Ariva 4K support Miracast/Airplay/DLNA, means you could share your Android Phone/iPhone screen to the TV set or share video/music/picture from your Android Phone/iPhone, Android Pad/iPad to the TV set through Ariva 4K. Launch S Link to start Miracast receiver and mirroring your Android Phone/Pad screen to the TV set. Compatible Miracast smart phone are Google Nexus Phone, LG Android smart phone, HTC Android smart phone, Sony Android smart phone etc...



NesTV brings new Entertainment Experience

Download NesTV APP from Google Play Store on your mobile phone and connect to the same Wi-Fi with the The Ferguson Ariva 4K . You could enjoy NesTV brings you new entertainment experience.

- 1) Control the STB on smart phone
- 2) Watching live TV on smart phone
- 3) Manage channel list on smart phone
- 4) Share video/music/photo to big TV screen from smart phone



Please download NesTV from Google Play Store or iOS APP Store with a QR code:



Google Play Store



iOS APP Store


13. System Settings and upgrade

System settings and upgrade helps you to setup the Ferguson Ariva 4K in advance settings such as video/audio output, network connection, Bluetooth etc...

System Settings


You could open system settings menu from Launcher by choose Settings icon and press OK button. You could setup Network, Bluetooth, Video/Audio output, Language etc...

Choose More Settings to open Android system settings for advance settings. Although the media box supply System settings for configure it in advance settings mode, we don't recommend the user configure the media box without skillful master.




13.1 System upgrade

Ferguson Ariva 4K could be upgraded through USB/SD card storage and OTA. You might see online update notification on the home page when new software available on internet. Click notification to download new software and upgrade the media box.




Upgrade from USB/SD

You could download the new version from our customer service website and upgrade the media box through USB/SD card storage. Go to Settings--->About--->Upgrade--->Local update.



Choose the upgrade package from USB/SD card storage to update the media box.



It is recommended to update from USB.

GLOSSARY OF TERMS

CA - Conditional Access – a coding system used in order to protect transmitted data against unauthorised access. Access to protected channels is available only to subscribers.

CAM - Conditional Access Module – an electronic device, usually fitted with card slots, that allows access to coded pay-per-view channels on a receiver equipped with a CI socket.

CI - Common Interface – CI sockets of digital receivers are used for the installation of CAM conditional access modules, and thus allow you to view coded pay-per-view channels through these modules.

DVB-S the Digital Video Broadcasting standard that defines modulation and error correction in satellite transmissions. In DVB-S, both the MCPC and SCPC modes can be used by the operator to transmit channels. MPEG-2 is used as the transport stream.

Guide - Electronic Programme Guide – a service that displays detailed information about current and future programmes on the television screen.

FTA - Free-to-air – unencoded radio and television channels that may be received on any television set.

LNB - low-noise block converter – a converter - it converts satellite signals, and then sends them to the tuner through a coaxial cable. The basic parameters are: gain, noise factor and power consumption.

MCPC - multiple channels per carrier – more than one signal (channel) is transmitted on a given frequency (transponder). All of these channels comprise a single data stream, which is transmitted on one frequency following modulation.

Monoblock – a device that comprises two converters and a DiSEqC switch in a single housing, which receives signals from two satellites on similar orbits.

Pay-TV – Pay-per-view digital television, to which only subscribers have access. The service is provided by satellite, cable, over the ground or through the network.

SCPC - Single channel per carrier – only one signal (channel) is transmitted over a given frequency (transponder).

STB - Set-top box – an electronic device connected to the television set, which processes the signal received from the ground-based, cable or network satellite antenna. It enables the playback of video and sound.

TP - Transponder – a type of wireless communication device (transmitter), which automatically receives, modulates, strengthens and responds to a signal coming in real time over a specific frequency. The term is derived from the words "transmitter" and "responder". Usually, each transponder transmits numerous compressed digital channels.

DiSEqC - (Digital Satellite Equipment Control) a communication protocol, used between a satellite receiver and equipment such as switches or positioners, which supports switching between television signal sources and antenna control.

USALS – (Universal Satellites Automatic Location System) – a communication protocol used between satellite receivers and positioners, which makes it possible to control the positioner through the receiver. Used in connection with the DiSEqC 1.2 protocol.

UHD - also called 4K, refers to a display device or content having horizontal resolution on the order of 4,000 pixels.

h.265 - video compression standard, one of several potential successors to the widely used AVC (H.264 or MPEG-4 Part 10). In comparison to AVC, HEVC offers about double the data compression ratio at the same level of video quality, or substantially improved video quality at the same bit rate.

Device Brand Code List

Kody urządzeń

Geräte-Hersteller-Code Liste

Marcas de dispositivos: Lista de códigos

Longer list of models can be downloaded from ferguson-digital.eu

Dłuższą listę modeli można pobrać z ferguson-digital.eu

Langer Liste der Modelle können aus ferguson-digital.eu heruntergeladen werden.

Longer list of models can be downloaded from ferguson-digital.eu

Ferguson:

| RCU/device Pilot/urządzenie RCU/Gerät mando distancia/ dispositivo | code kod Kode acódigo | product category Kategoria urządzenia Produkt Kategorie categoria de producto |
|---|--------------------------------|--|
| RCU-500 RCU-540 | 1251 | STB DVB-S2 |
| RCU-200 RCU-240 | 1244 | DVB-T, DVB-T2 |
| RCU-580 | 1246 1250 | DVD |
| RCU150 | 1247 | HDplayer |
| RCU310 | 1245 | HDplayer |
| AV-770 | 1248 | Tuner |

TV

| | |
|----------------|---|
| AEG | 0057 0083 0056 |
| AIWA | 0056 0643 |
| AKAI | 0006 0015 0016 0041 0045 0050 0051 0052 0035 0061 0083 0057 0056 0101 0038 0106 0504 0505 0507 0508 0532 0538 0539 0544 0586 0178 |
| AMSTRAD | 0035 0041 0049 0051 0056 0083 0057 0111 0503 0507 0508 0520 0538 0539 0540 0568 |
| BANG & OLUFSEN | 0000 0501 |
| BARCO | 0000 0010 0560 |
| BAUER | 0064 0056 0042 |
| BEKO | 0021 0034 0036 0038 0057 0056 0085 0063 0506 0542 1094 |
| BIAZET | 0056 0002 |
| BLAUPUNKT | 0014 0015 0024 0026 0057 0059 0503 |
| CARREFOUR | 0057 0056 0517 |
| CASIO | 0057 |
| CLATRONIC | 0057 0503 0507 0508 0520 0526 0532 0542 |
| DAEWOO | 0006 0016 0050 0051 0052 0055 0056 0062 0063 0079 0081 0086 0087 0096 0057 0507 0532 0128 0129 0132 0135 0562 0595 0616 |
| DELL | 0516 |
| ECHOSTAR | 0051 0056 0006 |

| | |
|--------------|--|
| ELEMIS | 0038 0056 |
| FINLUX | 0019 0020 0038 0044 0051 0052 0056 0063 0057 0035 0501 0504 0233 0510 0511 0512 0526 0532 0558 0568 0582 0585 0586 |
| FUNAI | 0051 0063 0095 0056 0024 0104 0049 0038 0503 |
| GOLDSTAR | 0007 0008 0009 0016 0006 0017 0021 0023 0025 0002 0036 0043 0042 0057 0051 0053 0063 0064 0065 0060 0088 0089 0056 0097 0058 0098 0038 0116 0117 0507 0532 0543 0549 0586 0624 |
| GRUNDIG | 0014 0015 0026 0044 0061 0091 0086 0100 0101 0109 0511 0526 0547 0564 0572 |
| HAIER | 0057 |
| HISENSE | 0009 0023 0057 0342 |
| HITACHI | 0056 0006 0008 0009 0012 0013 0020 0022 0027 0030 0032 0033 0045 0080 0060 0062 0068 0069 0074 0083 0002 0057 0035 0111 0112 0504 0510 0514 0517 0522 0525 0527 0528 0529 0128 0130 0133 0542 0568 0574 0575 0148 0605 1078 |
| LG | 0007 0008 0009 0016 0006 0017 0021 0023 0025 0002 0036 0043 0042 0057 0051 0053 0063 0064 0065 0060 0088 0089 0056 0097 0058 0098 0038 0116 0117 0507 0532 0128 0129 0132 0134 0543 0135 0549 0565 0145 0146 0586 0624 |
| LOEWE | 0000 0043 0056 0065 0501 0532 0551 0586 0177 |
| MARANTZ | 0056 0532 0586 |
| MEDION | 0057 0085 0081 0056 0503 0507 0509 0523 0529 0530 0127 0129 0538 0553 0556 0562 0571 0586 0591 0598 0599 0600 0601 0602 0603 0607 0643 0861 0174 0176 0182 1001 1073 |
| mitsubishi | 0000 0056 0005 0015 0024 0033 0038 0050 0051 0060 0057 0109 0501 0517 0520 0532 0534 0551 |
| NAD | 0060 |
| NEC | 0024 0051 0005 0054 0082 0072 0057 0039 0059 0050 0062 0056 0517 0536 0591 0183 |
| NISSAN | 0053 |
| NOKIA | 0056 0049 0083 0035 0521 0147 |
| NORDMENDE | 0002 0010 0011 0012 0013 0037 0040 0063 0067 0056 0083 0057 0085 0501 0515 0527 0528 0532 0559 0570 0571 0574 0172 |
| ORION | 0005 0041 0049 0051 0059 0063 0056 0021 0057 0016 0038 0056 |
| PACKARD BELL | 0597 |
| PANASONIC | 0026 0047 0075 0084 0002 0038 0106 0107 0108 0054 0114 0537 0569 0579 0580 |
| PHILIPS | 0000 0006 0016 0018 0025 0026 0046 0071 0073 0076 0078 0094 0097 0099 0057 0056 0105 0110 0501 0513 0525 0526 0532 0542 0545 0559 0562 0586 0674 0124 0125 0126 0128 0132 0143 |
| PIONEER | 0057 0092 0093 0013 0046 0532 0132 0133 0574 0576 0586 |
| RADIO SHACK | 0060 0057 0056 |
| RCA | 0521 |
| ROYAL | 0051 0049 0041 0056 0006 0021 |
| SABA | 0001 0003 0010 0011 0012 0013 0016 0028 0031 0037 0040 0056 0063 0002 0501 0527 0528 0559 0568 0570 0571 0574 0616 |
| SAMSUNG | 0004 0006 0007 0008 0036 0045 0049 0051 0052 0053 0056 0058 0059 0060 0070 0016 0077 0057 0102 0103 0115 0118 0119 0503 0504 0507 0520 0532 0127 0128 0129 0131 0132 |

| | |
|---------------|--|
| | 0134 0542 0135 0546 0549 0554 0140 0146 0654 0168 0207 |
| SANYO | 0000 0056 0006 0024 0033 0036 0052 0083 0102 0103 0504 0505 0510 0512 0517 0519 0520 0521 0524 0526 0128 0130 0131 0542 0138 0571 |
| SCHAUB LORENZ | 0016 0030 0036 0049 0050 0051 0053 0035 0080 0088 0063 0002 0056 0169 0170 0171 0509 0550 1071 |
| SCHNEIDER | 0000 0006 0016 0017 0018 0021 0025 0026 0035 0038 0041 0046 0051 0056 0057 0059 0071 0073 0076 0078 0083 0094 0097 0099 0105 0110 0508 0532 0538 0574 0586 0616 |
| SHARP | 0006 0024 0033 0048 0502 0517 0519 0130 0137 0147 0592 |
| SIEMENS | 0015 0026 0056 0101 0519 |
| SKYWORTH | 0607 0160 |
| SONY | 0005 0024 0056 0077 0029 0105 0504 0507 0517 0519 0520 0129 0130 0131 0136 0555 0571 0149 0421 |
| TATUNG | 0006 0016 0052 0005 0040 0056 0504 0532 0568 0586 |
| TCL | 0064 |
| TECHNICS | 0051 0054 0047 |
| TECHNIKA | 0041 0051 |
| TECHNISAT | 0057 0056 |
| TELEFUNKEN | 0001 0011 0012 0013 0016 0021 0028 0037 0040 0057 0056 0531 0532 0533 0132 0133 0552 0554 0559 0570 0571 0574 0583 0594 |
| TEVION | 0057 0063 0056 0532 |
| THOMSON | 0001 0003 0002 0010 0011 0012 0013 0014 0019 0028 0031 0037 0038 0040 0061 0067 0085 0090 0113 0527 0528 0531 0532 0533 0552 0559 0570 0571 0574 0583 0589 0591 0616 0173 0166 0167 |
| TOSHIBA | 0056 0033 0034 0045 0063 0083 0511 0517 0130 0541 0136 0139 0564 0141 0142 0144 0584 0593 1017 |
| UNIMOR | 0102 0056 0025 |
| VESTEL | 0009 0038 0083 0057 0056 0532 0542 0548 0553 0556 0586 0596 0132 0214 0215 1252 |

SAT

| | |
|------------------|--|
| AMSTRAD | 0806 0812 |
| ARION | 0354 |
| BLAUPUNKT | 0739 |
| BSKYB | 0812 |
| CANAL SATELLITE | 0822 |
| CANAL+ | 0822 |
| COMAG | 0762 0349 0353 0363 |
| ECHOSTAR | 0759 0760 0770 0829 0830 0831 0832 0833 0870 0881 0882 |
| ENIGMA | 0358 |
| FERGUSON | 1251 |
| FINLUX | 0766 0769 0784 0849 |
| GLOBECAST | 1135 |
| GOLDEN INTERSTAR | 0205 |
| GOLDSTAR | 0776 |
| GRANVISION | 0350 0351 |
| GRUNDIG | 0398 0399 0722 0738 0739 0772 0780 0784 0845 |
| HEAD | 0361 |
| HIRSCHMANN | 0739 0775 0793 0810 0815 1161 1155 |
| HITACHI | 0784 0802 |
| HUMAX | 0773 0790 0360 0365 0366 |

| | |
|-------------|---|
| ITD(SAGEM) | 0311 0323 |
| ITT/NOKIA | 0753 0784 0802 |
| KATHREIN | 0383 0393 0739 0783 0345 0848 0856 0867 0208 |
| LG | 0381 0394 0776 |
| MEDIASAT | 0734 0822 |
| MEDION | 0382 0384 0385 0730 0742 0768 0778 0786 0788 0800 0820 0833 0834 0857 0364 0873 0877 1167 1133 1132 1125 |
| MITSUBISHI | 0739 0784 0825 |
| NEC | 0785 |
| NOKIA | 0753 0784 0806 0819 |
| NORDMENDE | 0720 0724 0763 0784 0846 |
| OCTAGON | 0720 0722 0755 |
| OPENBOX | 0204 |
| OPTEX | 0758 0880 0338 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 |
| PACE | 0739 0784 0796 0812 0816 0856 |
| PHILIPS | 0397 0399 0400 0736 0754 0755 0772 0778 0780 0784 0789 0808 0817 0822 0825 0847 0854 |
| PIONEER | 0398 0822 |
| POLSAT | 0846 |
| PREMIERE | 0742 0758 0807 0822 |
| SAGEM | 0846 0876 |
| SAGEM TNSAT | 0331 |
| SAMSUNG | 0378 0391 0395 0396 0720 0731 0207 |
| SCHNEIDER | 0754 0786 0833 0834 |
| SCHWAIGER | 0382 0385 0386 0387 0388 0725 0732 0735 0740 0784 0788 0820 0826 0827 0828 0834 0855 0867 1160 1145 1141 1128 1127 |
| SEG | 0720 0744 0806 0867 0869 |
| SKY DIGITAL | 0812 |
| SKY+ | 0812 |
| TECHNISAT | 0386 0738 0797 0344 0822 0860 |
| TOPFIELD | 0781 0782 0343 |
| VANTAGE | 0362 |
| VESTEL | 0214 0215 |

DVB

| | |
|----------|------------------------------------|
| CANAL+ | 1163 |
| ECHOSTAR | 0989 |
| FREEVIEW | 0747 0751 0752 0771 0787 0798 0843 |
| GRUNDIG | 1159 |
| HUMAX | 0532 |
| MEDION | 0877 |
| PACE | 0752 0796 |
| PHILIPS | 0843 |
| PIONEER | 0858 |
| PREMIERE | 0843 |
| SAGEM | 0876 1137 |
| SONY | 0747 |
| TCM | 1121 1080 |
| THOMSON | 0798 |

DVB-T

| | |
|----------|------|
| FERGUSON | 1244 |
|----------|------|

CableBox

| | |
|--------------------|-----------|
| BT | 0811 |
| CANAL PLUS | 0765 |
| MOTOROLA | 0779 |
| PIONEER | 0791 0792 |
| SAMSUNG | 1142 |
| SCIENTIFIC ATLANTA | 0794 0795 |
| UPC | 1137 |

DVD

| | |
|---------------|--|
| AEG | 0670 1001 |
| AIWA | 0698 0703 |
| AKAI | 0670 0680 0694 0702 1001 |
| AUDIOVOX | 1031 |
| BLAUPUNKT | 0704 |
| CAMBRIDGE | 0697 |
| DAEWOO | 0683 0684 0685 0700 |
| DENON | 0455 |
| DENVER | 0701 1001 1084 |
| DK DIGITAL | 0686 |
| ELTA | 0670 0691 0702 1001 |
| FERGUSON | 1246 1250 |
| FINLUX | 0681 0687 |
| FUNAI | 0674 |
| GOWELL | 0429 |
| GRUNDIG | 0670 0680 0697 0699 0700 |
| HARMON/KARDON | 0712 |
| HITACHI | 0408 0409 0413 0419 0680 0692 0693 0705 0709 |
| HYUNDAI | 0681 |
| JBL | 0712 |
| JVC | 0690 0717 1051 1089 |
| LG | 0411 0421 0452 0453 1056 |
| MARANTZ | 0690 1062 1104 |
| MEDION | 0667 0671 0673 0674 0675 0676 0677 0681 0682 0686 0688 0695 0453 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1021 1023 1046 1118 1119 1120 1096 1097 1098 1099 1100 |
| PACKARD BELL | 1028 1029 1116 1085 |
| PANASONIC | 0412 0718 1055 |
| PHILIPS | 0403 0407 0416 0420 0674 0690 0445 1060 1061 1062 1124 1123 1105 |
| PIONEER | 0404 0693 1054 1058 |
| RCA | 0704 0716 |
| SAMSUNG | 0413 0418 0673 0692 1016 1050 |
| SANYO | 0414 0670 0680 0699 |
| SCHAUB LORENZ | 1001 1110 |
| SCHNEIDER | 0670 0680 0681 0682 0686 0700 1001 |
| SCHWAIGER | 0679 |
| SHARP | 0406 0415 0680 0711 0451 1087 |
| SONY | 0410 0417 0719 1066 1067 1068 |

| | |
|----------|------------------------------------|
| TEAC | 0670 0693 0704 |
| TECHNICS | 0716 |
| TECHNIKA | 0686 |
| TOSHIBA | 0407 0422 0690 1017 1057 1117 1122 |
| VESTEL | 0680 0441 |
| X-BOX | 0716 |
| YAMAHA | 0706 0443 1060 1061 |

DVR

| | |
|--------------|---------------------|
| HITACHI | 0705 |
| JVC | 1089 |
| LITEON | 1046 1090 |
| MEDION | 1002 1046 1100 |
| PACKARD BELL | 1029 1085 |
| PHILIPS | 1060 1061 1124 1105 |
| SHARP | 1087 |
| SONY | 1066 1067 1068 |
| THOMSON | 0689 |
| TOSHIBA | 0690 1057 1117 |
| YAMAHA | 1060 1061 |

VCR

| | |
|------------|--|
| AIWA | 0608 0643 |
| AKAI | 0611 0612 0613 0666 |
| BLAUPUNKT | 0621 0625 0626 0630 0652 0662 |
| DAEWOO | 0616 0627 0393 |
| FINLUX | 0621 0622 0647 |
| FUNAI | 0674 |
| GRUNDIG | 0610 0621 0626 0630 0631 0639 0640 0641 0657 |
| HITACHI | 0621 0628 0705 0455 0456 0459 0460 0462 0472 0481 |
| JVC | 0645 0646 0717 |
| LG | 0624 0455 0457 0459 0461 0470 0475 0479 |
| LOEWE | 0621 0625 0630 0662 |
| MARANTZ | 0621 0630 0636 |
| MEDION | 0608 0625 0629 0643 0673 |
| MITSUBISHI | 0621 0642 0645 0647 |
| NEC | 0645 |
| PANASONIC | 0625 0656 0660 0662 0458 1055 |
| PHILIPS | 0610 0614 0621 0630 0639 0657 0664 0454 0465 0473 0478 |
| PIONEER | 0621 0645 |
| SAMSUNG | 0654 0673 0463 0469 0476 1050 |
| SANYO | 0622 0634 0638 0467 |
| SHARP | 0636 0665 0464 |
| SONY | 0618 0651 0652 0653 0655 0719 0468 0477 |
| TECHNICS | 0625 |
| THOMSON | 0614 0616 0645 0646 0650 0663 |
| TOSHIBA | 0621 0627 0643 0659 0690 0456 0462 0466 0471 0474 0477 0480 |

Aux/Tuner/Tape

| | |
|------|---|
| AIWA | 0698 0948 |
| DUAL | 0671 0677 0695 0908 0935 0958 0978 0990 |
| ELTA | 0886 0887 0935 |

| | |
|---------------|--|
| FERGUSON | 1248 1249 |
| GRUNDIG | 0911 0925 0926 |
| HARMON/KARDON | 0895 0896 |
| IPOD | 0998 |
| JVC | 1051 |
| LG | 1056 |
| MEDION | 0671 0677 0695 0908 0935 0964 0965 0966 0978 1120 1096 1098 |
| NAD | 0929 0930 |
| ONKYO | 0955 |
| PACKARD BELL | 1116 |
| PANASONIC | 0807 |
| PHILIPS | 0925 0926 |
| PIONEER | 1054 1058 |
| PREMIERE | 0807 |
| SAMSUNG | 0945 1016 |
| SONY | 0931 0932 0933 0940 0941 0942 0943 0944 |
| SONY NETWORK | 0746 |
| TEAC | 0443 |
| TECHNICS | 0949 |
| THOMSON | 0846 0979 |
| YAMAHA | 0924 0946 0947 |

HDD, HDplayer

| | |
|--------------|---|
| AMSTRAD | 0812 |
| BSKYB | 0812 |
| ECHOSTAR | 0882 |
| FERGUSON | 1245 1247 |
| HUMAX | 0878 |
| HYUNDAI | 0774 |
| MEDION | 0730 0788 0873 1167 1046 1125 1118 1100 |
| PACE | 0752 0812 |
| PACKARD BELL | 1085 |
| PHILIPS | 0614 1124 |
| SAGEM | 1137 |
| SCHWAIGER | 0788 1145 1127 |
| SIEMENS | 1148 |
| SKY+ | 0812 |
| SONY | 0545 1066 1068 |
| THOMSON | 0614 0663 0798 |
| TIVO | 0614 |
| TOPFIELD | 0782 |
| TOSHIBA | 1117 |

ADSL

| | |
|------------|-----------|
| FREEBOX TV | 1162 |
| ORANGE | 1166 |
| SAGEM | 1163 |
| SAMSUNG | 1143 |
| THOMSON | 1166 |
| TPS ADSL | 1165 1166 |
| UPC | 1137 |

CD/LD

| | |
|---------------|--|
| AKAI | 0985 0986 0987 |
| DENON | 0619 0658 0885 |
| GRUNDIG | 0658 0894 0928 |
| HARMON/KARDON | 0897 |
| HITACHI | 0898 0899 0983 |
| JVC | 0900 |
| KENWOOD | 0901 0902 |
| LG | 0884 |
| MARANTZ | 0928 |
| MEDION | 0887 0891 0892 0927 0934 0935 0936 0959 0960 0963 0972 0980 |
| MITSUBISHI | 0658 |
| NAD | 0658 0888 0929 |
| NAIM | 0928 |
| ONKYO | 0906 0907 |
| PANASONIC | 0883 0909 |
| PHILIPS | 0910 0928 0982 |
| PIONEER | 0658 0890 0893 |
| ROTEL | 0928 |
| SAMSUNG | 0945 |
| SHARP | 0889 0916 0917 0918 |
| SONY | 0888 0919 0920 0933 0937 0938 0939 |
| TEAC | 0957 |
| TECHNICS | 0909 0922 |
| TELEFUNKEN | 0658 0983 |
| TOSHIBA | 0923 |
| YAMAHA | 0916 0921 0947 |

Blu-Ray, DVD

| | |
|-----------|-----------|
| DENON | 1186 |
| LG | 1191 |
| MARANTZ | 1192 1193 |
| NAD | 1194 |
| ONKYO | 1190 |
| OPPO | 1196 |
| PANASONIC | 1197 |
| PHILIPS | 1198 1199 |
| PIONEER | 1200 1201 |
| SAMSUNG | 1202 |
| SHARP | 1203 |
| SONY | 1204 |
| YAMAHA | 1207 |

SPECIFICATION

| Ariva | 4K/4K Combo |
|---|--|
| Dimension (cm) | W: 258mm D: 158mm H: 43mm |
| Net Weight | 800 g |
| Input Voltage | 12V 2.0A |
| Power Consumption | Max 24W |
| Standby | < 0, 5 W |
| 1.Main Chip Sets | |
| Chipset | Amlogic S905-B, Quad core Cortex A53 @ 2.02 GHz |
| Flash Memory | EMMC 8GB |
| DDR III Memory | 1GB |
| 2.DVBS Tuner & Demodulator | |
| Tuner Type | ON BOARD |
| Frequency Range | 950 ~ 2150MHz |
| Demodulator Mode | DVB-S (QPSK, ETS 300 421) and DVB-S2 (QPSK / 8PSK, ETS 302 307) |
| RF Input Connector | F-Female |
| 3.DVBT/T2/C Tuner & Demodulator (depending on model) | |
| Demodulator Mode | ETSI EN 302-755 V1.3.1 and EN 300-744 V1.6.1 compliant |
| Frequency Range | 52.5MHz to 866MHz |
| RF Input Connector | IEC-Female |
| 4.TS Demux | |
| Demultiplexer | MPEG2/MPEG4 |
| Input Bit Rate | Max 100Mbit/s |
| 5.Video | |
| Video Decode | H.264/H.265 HEVC MP@L5.0 up to 4K UHD@60fps H.264/H.265 AVC MP@L5.1 up to 4K UHD@60fps H.264/H.265 MVC up to 4K UHD@60fps MPEG-4 ASP@L5 up to 1080P@60fps AVS Jizhun Profile up to 1080P@60fps MPEG-2 MP@HL up to 1080P@60fps MPEG-1 MP@HL up to 1080P@60fps RealVideo 8/9/10 up to 1080P@60fps WebM up to VGA |
| Video File Format | Support *.mkv, *.wmv,*.mpg,*.mpeg,*.dat,*.avi,*.mov,*.iso,*.mp4,*.rm,*.jpg,*.bmp, *.gif and others |
| HDMI Output | HDMI 2.0 (video format default @ Auto) |
| Aspect Ratio | Auto, Full screen |
| Video Resolution | 4K@60Hz 4K@50Hz 1080p/i 720p |
| 6.Network | |
| Wi -Fi | Built-in 802.11 b/g/n, 2.4G/5G dual band |
| Ethernet | 100M Ethernet RJ-45 |
| 7.Audio Decode | |
| Audio Decode | Dolby Digital/Digital Plus, MPEG, OGG,OGA,FLAC,ALAC,Ape,M4A,RM, MPEG-1 layer1/2, MPEG-2 Layer II (DTS passthru) |
| Sound Mode | LEFT/RIGHT/STEREO/MONO |
| Sampling Frequency | 32KHz 44.1KHz 48KHz |
| 8.PVR Function | |

| | |
|---------------|---|
| Record | Instant Record and Timer Record GUIDE Timer Record |
| Time-Shift | Support Auto Time-Shift |
| PVR Operation | Play/Pause/Stop/Step Fast Forward/Fast Backward 2/4/8/16 |
| File System | Support NTFS, FAT32 |
| PVR Manager | Delete recorded file |

9.AV Output

| | |
|---------------------|---------------------------------|
| Video Bandwidth | SD:5.0MHz(-3dB), HD:30MHz(-3dB) |
| Video Impedance | 75Ω |
| Video Voltage Level | 1.0 Vp-p |
| Audio Freq. Range | 20~20KHz |
| Audio Impedance | 600Ω |
| Audio Voltage Level | 2V rms(5.6Vp-p) |

10.Environment

| | |
|-----------------------|------------|
| Operating Temperature | 0°C-40°C |
| Storage Temperature | -10°C-65°C |
| Humidity | <95% |